

Office Furniture -

The Office Furniture environment requires Power Distribution Units to be varied, functional, practical & if used on the desk top, aesthetically pleasing. Introducing power to the office furniture & desk areas requires compliance with British Standard BS6396 and consideration should be taken over segregation & installation if introducing voice & data options within units. RPP offer a bespoke design service alongside the following standard units to meet all its customers needs.

BS6396:

Clause 5.2.1

"Shall be provided with an Earthing Terminal"

Clause 5.5.1

"a) No more than 4 sockets separately fused not to exceed more than 5 Amps"

"b) No more than 6 sockets separately fused not to exceed more than 3.15 Amps"



Switched & individually fused



- 2 x RJ45 Cat5E
- M5 Earth stud c/w 250mm x 1.5mm² Earth flex to 5mm Ring terminal

List No.	Description	Dim: X	Dim: Y
P001	2 way switched indiv. fused	243	223
P002	4 way switched indiv. fused	368	348
P003	5 way switched indiv. fused	430	410
P004	6 way switched indiv. fused	493	473

Individually Switched & Fused



List No.	Description	Dim: X	Dim: Y
P005	2 way indiv. fused & switched	268	248
P006	4 way indiv. fused & switched	443	423
P007	5 way indiv. fused & switched	530	510
P008	6 way indiv. fused & switched	618	598

Switched & individually fused, 2 Data outlets



List No.	Description	Dim: X	Dim: Y
P009	2 way switched indiv. fused & 2 data	330	310
P010	4 way switched indiv. fused & 2 data	455	435
P011	5 way switched indiv. fused & 2 data	518	498
P012	6 way switched indiv. fused & 2 data	580	560

Individually Switched & Fused, 2 data outlets



- 2 way & 4 way Fused @ 5Amps
- 5 way & 6 way Fused @ 3Amps
- Patch leads not supplied as standard
- Supplied with 3mtrs flex to 13A UK fused plug top

List No.	Description	Dim: X	Dim: Y
P013	2 way indiv. fused, switched & 2 data	330	310
P014	4 way indiv. fused, switched & 2 data	505	485
P015	5 way indiv. fused, switched & 2 data	593	573
P016	6 way indiv. fused, switched & 2 data	680	660

Switched & individually fused



- Aluminium Extruded Body
- Anodised Silver finish
- Black Polycarbonate End Caps

List No.	Description	List No.	Description
K001	2 way switched indiv. fused	K003	5 way switched indiv. fused
K002	4 way switched indiv. fused	K004	6 way switched indiv. fused

Individually Switched & Fused




List No.	Description	List No.	Description
K005	2 way indiv. fused & switched	K007	5 way indiv. fused & switched
K006	4 way indiv. fused & switched	K008	6 way indiv. fused & switched

Switched & individually fused, 2 Data outlets



List No.	Description	List No.	Description
K009	2 way switched indiv. fused/2 data	K011	5 way switched indiv. fused/2 data
K010	4 way switched indiv. fused/2 data	K012	6 way switched indiv. fused/2 data


Individually Switched & Fused, 2 data outlets



List No.	Description	List No.	Description
K013	2 way indiv. fused, switched/2 data	K015	5 way indiv. fused, switched/2 data
K014	4 way indiv. fused, switched/2 data	K016	6 way indiv. fused, switched/2 data



DC



PFD

- 2 way & 4 way Fused @ 5Amps
- 5 way & 6 way Fused @ 3Amps
- 2 x RJ45 Cat5E
- M5 Earth stud c/w 250mm x 1.5mm² Earth flex to 5mm Ring terminal
- Patch leads not supplied as standard
- Supplied with 3mtrs flex to 13A UK fused plug top

List No.	Description
DC	Desk Clamps
PFB	Fixing Bolts